

# DEPO PROVERA SCHEDULE CHART Manual

## Depo Provera Schedule Chart

Understanding the Depo Provera schedule chart is essential for women who are considering or currently using this contraceptive method. Depo Provera, also known as the injectable birth control shot, offers a highly effective and convenient form of contraception when used correctly. The schedule chart provides a clear timeline for administration, follow-up appointments, and understanding the duration of protection. Proper adherence to the schedule ensures maximum efficacy, minimizes side effects, and helps women plan their reproductive health effectively. This comprehensive guide will explore the Depo Provera schedule chart in detail, covering administration timelines, important milestones, and tips for maintaining optimal contraceptive protection.

## What is Depo Provera?

Depo Provera is a long-acting injectable contraceptive containing the hormone progestin (medroxyprogesterone acetate). It is administered via intramuscular injection every 12 to 13 weeks (approximately three months). The hormone works primarily by preventing ovulation, thickening cervical mucus to block sperm entry, and thinning the uterine lining to reduce the likelihood of implantation.

## Understanding the Depo Provera Schedule Chart

The Depo Provera schedule chart is a visual aid that outlines the key dates and intervals related to the administration of the injection, follow-up appointments, and when additional doses are needed. It helps women stay on track with their contraceptive regimen, ensuring continuous protection and minimizing the risk of pregnancy.

## Initial Administration and First Dose

### Timing of the First Shot

The first dose of Depo Provera can be administered in several ways, depending on individual circumstances:

- **Within the First 5 Days of Your Menstrual Cycle:** This is the optimal time to start, as it provides immediate protection without the need for additional contraception.
- **At Any Time During the Cycle:** If started at any other time, additional contraceptive methods

(like condoms) should be used for the first 7 days.

- **After Childbirth or Abortion:** The injection can be given immediately postpartum or after a miscarriage, depending on medical advice.

## First Dose Schedule

- Day of administration: The initial injection is given at the healthcare provider's office.
- Protection: If administered within the first 5 days of your period, you are protected immediately. Otherwise, additional contraception is recommended for 7 days.

## Follow-Up Injections and Routine Schedule

### Timing of Subsequent Doses

The standard schedule for Depo Provera injections is:

- **Every 12 to 13 Weeks:** The next injection should be administered roughly three months after the previous dose.
- **On the Same Date:** It's best to keep appointments on or around the same date each cycle to maintain consistent protection.

### Keeping Track of Your Schedule

- Use a calendar or reminder app to mark your injection dates.
- Set alerts a week prior to your scheduled appointment to ensure timely administration.
- Keep records of your injections for future reference and medical consultations.

## Important Milestones in the Depo Provera Schedule Chart

### 3-Month Mark

- The typical window to receive your next injection.
- Missing this window can decrease contraceptive effectiveness.

### Extended Timing

- The injection can be administered up to 2 weeks late without compromising efficacy.
- After this period, alternative contraception should be used until the next dose.

## Resuming the Schedule

- If you miss your scheduled injection, schedule it as soon as possible.
- Continue with subsequent injections every 12-13 weeks after resumption.

## Adherence and Flexibility in the Schedule

### What Happens if You Miss an Injection?

- **Less than 2 weeks late:** Administer the injection immediately; your protection continues.
- **More than 2 weeks late:** You may need to use additional contraception for up to 7 days after injection.
- **Long delays:** Consult your healthcare provider for guidance and consider pregnancy testing if needed.

## Adjusting the Schedule

- Life circumstances or health considerations may lead to schedule adjustments.
- Always consult your healthcare provider before making changes.

## Special Considerations in the Depo Provera Schedule Chart

### Pregnancy Planning and Depo Provera

- Fertility typically returns within 10 months after stopping Depo.
- Use the schedule chart to plan your return to fertility and coordinate with your healthcare provider.

## Side Effects and Monitoring

- Common side effects include irregular bleeding, weight gain, and mood changes.
- Regular follow-up appointments help monitor side effects and overall health.

## Long-Term Use and Return to Fertility

- Long-term use is generally safe but may lead to decreased bone mineral density.
- Follow schedule for injections and discuss long-term plans with your doctor.

## Tips for Managing Your Depo Provera Schedule

- **Stay Informed:** Keep a copy of your schedule chart accessible.
- **Set Reminders:** Use alarms or calendar alerts for upcoming injections.
- **Consult Regularly:** Schedule routine check-ups to address any concerns.
- **Understand Your Body:** Keep track of any side effects or changes.
- **Communicate with Your Healthcare Provider:** Discuss any missed doses or health issues promptly.

## Conclusion

A well-organized Depo Provera schedule chart is a vital tool for women to ensure consistent and effective contraception. By understanding the timing of injections, the importance of timely follow-ups, and managing missed doses appropriately, women can maximize the benefits of this contraceptive method. Regular consultations with healthcare providers and diligent adherence to the schedule not only maintain protection against pregnancy but also support overall reproductive health. Whether you're beginning Depo Provera or managing ongoing use, having a clear schedule chart can make your contraceptive experience smooth, safe, and effective.

### Depo Provera Schedule Chart: An In-Depth Guide to Understanding and Managing Your Contraceptive Plan

When it comes to family planning and contraception, understanding the Depo Provera schedule chart is essential for women considering or currently using this method. This comprehensive guide aims to demystify the schedule chart, providing detailed insights into how Depo Provera works, its administration timeline, potential side effects, and tips for optimal use. Whether you're a new user or seeking to better understand your contraceptive regimen, this resource will serve as a thorough reference.

## What Is Depo Provera?

Depo Provera, medically known as depot medroxyprogesterone acetate, is a long-acting injectable contraceptive. It is designed to provide effective birth control for women by releasing a synthetic hormone into the bloodstream, preventing ovulation, thickening cervical mucus, and thinning the

uterine lining.

Key features include:

- Duration of Effectiveness: Lasts approximately 12-14 weeks per injection.
- Administration: Given via intramuscular or subcutaneous injection.
- Hormonal Composition: Contains medroxyprogesterone acetate.
- Efficacy Rate: Over 99% when used correctly.

## Understanding the Depo Provera Schedule Chart

The schedule chart is a visual or tabular representation that details the timeline for injections, appointments, and follow-up care. It helps users and healthcare providers ensure timely administration, monitor side effects, and plan for potential pregnancy resumption.

Core components of the schedule chart include:

- Initial Injection Date: The starting point of contraception.
- Follow-up Injections: Administered approximately every 12-14 weeks.
- Reminder Intervals: To prevent missed doses.
- Pregnancy Resumption Timeline: When fertility may return after discontinuation.

## Typical Depo Provera Schedule Timeline

The standard schedule involves a series of injections spaced at specific intervals:

### First Injection (Initiation)

- Administered at any time during the menstrual cycle, preferably during the first five days of your period for immediate effectiveness.
- If started at any other time, a backup method (like condoms) should be used for the first 7 days.

### Subsequent Injections

- Given every 11-13 weeks (roughly every 3 months).
- The schedule chart indicates the exact dates for each injection, emphasizing the importance of punctuality.

## Important Milestones in the Schedule Chart

- 3-Month Mark: First follow-up dose.
- 6-Month Check: Optional medical review and assessment.
- 12-Month Use: Possible evaluation of continued use, side effects, or planning for discontinuation.

## Creating and Using Your Depo Provera Schedule Chart

An effective schedule chart should be personalized, clear, and easy to follow. Here are steps to create and utilize your chart:

- Record the Initial Injection Date: Mark the exact day you receive your first shot.
- Identify Follow-up Dates: Calculate 12-14 weeks from the initial date for the next injection.
- Set Reminders: Use alarms, calendar alerts, or mobile apps to prompt upcoming injections.
- Track Side Effects and Symptoms: Note any adverse reactions, bleeding patterns, or other concerns.
- Plan for Reproductive Goals: Mark potential dates for pregnancy planning or discontinuation.

Sample Schedule Chart Layout:

| Injection Number | Date of Injection | Due Date for Next Injection | Notes |

|-----|-----|-----|-----|

| 1 | MM/DD/YYYY | MM/DD/YYYY | Starting dose |

| 2 | MM/DD/YYYY | MM/DD/YYYY | Follow-up dose |

| 3 | MM/DD/YYYY | MM/DD/YYYY | Long-term planning |

## Managing and Adjusting Your Depo Provera Schedule

While the schedule chart provides a structured plan, individual needs and medical advice may necessitate adjustments.

Key considerations:

- Missed Injections: If you miss your scheduled shot by more than 13 weeks, consult your healthcare provider for guidance. Additional contraception may be required.
- Early or Delayed Injections: Administering injections outside the recommended window can impact effectiveness.
- Switching Methods: When transitioning to other contraceptives, follow medical guidance for timing.
- Discontinuation: Fertility may take several months to return after stopping Depo Provera; plan accordingly.

## Side Effects and Monitoring Through the Schedule Chart

Tracking your schedule also aids in monitoring side effects associated with Depo Provera:

- Common Side Effects:
  - Irregular bleeding or spotting
  - Weight changes
  - Headaches
  - Mood swings
  - Breast tenderness
- Serious Side Effects (rare):
  - Bone mineral density loss with long-term use
  - Ovarian cysts
  - Severe allergic reactions

What to document:

- Bleeding patterns
- Mood changes
- Physical symptoms
- Any concerns to discuss during follow-up visits

## Planning for Fertility and Return to Normal Cycles

One of the most significant considerations with Depo Provera is its impact on fertility:

- Return to Fertility: Typically, ovulation resumes within 9-10 months after the last injection, but it

can take up to 18 months in some cases.

- Using the Schedule Chart for Planning: Mark potential pregnancy timelines and discuss options with your healthcare provider.
- Discontinuation Strategy: To optimize chances of conception, plan to stop injections well in advance of your desired pregnancy date.

## Advantages of Using a Detailed Depo Provera Schedule Chart

- Ensures timely injections, maximizing contraceptive effectiveness.
- Helps in early detection of side effects or irregularities.
- Facilitates communication with healthcare providers.
- Assists in planning for pregnancy or switching methods.
- Empowers women to take control of their reproductive health.

## Potential Challenges and How to Overcome Them

While a schedule chart is a valuable tool, some women may face challenges:

- Forgetfulness: Use digital reminders or physical calendars.
- Scheduling Conflicts: Coordinate appointments ahead of time.
- Side Effect Management: Regularly review symptoms with your provider.
- Access Issues: Ensure consistent access to healthcare facilities for injections.

## Additional Tips for Effective Use of the Schedule Chart

- Maintain a Personal Health Log: Record side effects, mood, or other concerns alongside your schedule.
- Stay Informed: Keep updated on new recommendations or changes in contraceptive guidelines.
- Consult Healthcare Providers Regularly: Routine check-ups can identify issues early.
- Use Multiple Reminders: Combine digital alerts with written notes.

## Conclusion: Maximizing the Benefits of Your Depo Provera Schedule

A well-maintained Depo Provera schedule chart is instrumental in ensuring the method's effectiveness, managing side effects, and planning for future reproductive goals. By understanding the timeline, adhering to scheduled injections, and staying vigilant about your health, you can make the most of this long-acting contraceptive option. Remember, always consult with your healthcare provider for personalized advice and adjustments to your schedule. With careful planning and



consistent follow-up, Depo Provera can be a reliable and convenient family planning method tailored to your needs.

**Question** What is the typical schedule for Depo-Provera injections? Depo-Provera is administered as an intramuscular injection every 12 weeks (about 3 months) to maintain its effectiveness as a contraceptive method. **Answer** How can I create a Depo-Provera schedule chart to track my injections? You can create a Depo-Provera schedule chart by marking the dates of each injection on a calendar, noting the 12-week interval, and setting reminders to ensure timely administration. Are there digital tools or apps to help manage my Depo-Provera schedule? Yes, several health tracking apps and calendar tools allow you to set recurring reminders for your Depo-Provera injections, helping you stay on schedule. What should I do if I miss or delay my Depo-Provera injection? If you miss or delay your injection beyond the 12-week window, contact your healthcare provider promptly to discuss the next steps and potential contraceptive options. Can I customize my Depo-Provera schedule chart for better tracking? Absolutely, you can customize your chart by adding notes about side effects, appointments, or other health information to better manage your contraceptive routine. Is it safe to get Depo-Provera injections earlier or later than the scheduled 12 weeks? It's important to stick to the 12-week schedule. Getting injections too early or late can reduce effectiveness or increase side effects; consult your healthcare provider for guidance. Where can I find printable Depo-Provera schedule charts or templates? You can find printable templates on healthcare websites, contraception resources, or create your own using calendar tools and customize them to fit your schedule.

**Related keywords:** Depo Provera, birth control schedule, contraceptive injection, injection timing, shot schedule, contraceptive chart, Depo Provera side effects, injection interval, contraceptive planning, birth control timeline

## Depo Provera Calendar 2014

### **Depo Provera Calendar 2014:** A Comprehensive Guide to Birth Control Scheduling and Usage

Understanding how to effectively use Depo Provera is essential for women seeking reliable contraception. The **Depo Provera Calendar 2014** serves as an important tool for tracking injections, understanding side effects, and maintaining consistent contraceptive use. This article provides a detailed overview of Depo Provera, how to manage its schedule in 2014, and tips to optimize its efficacy.

## What Is Depo Provera?

Depo Provera, also known by its generic name medroxyprogesterone acetate, is a hormonal contraceptive administered via intramuscular injection. It is designed to prevent pregnancy for approximately three months per dose. Its popularity stems from its convenience, high efficacy, and suitability for women who prefer not to use daily oral contraceptives.

## Understanding the Depo Provera Calendar 2014

The **Depo Provera Calendar 2014** was a vital resource for women to plan, track, and manage their injections throughout the year. Whether you were a first-time user or someone who needed to stay consistent, the calendar helped ensure maximum effectiveness.

### Purpose of the Calendar

- Schedule management: Ensuring injections are administered on time.
- Tracking side effects: Monitoring any adverse reactions or changes.
- Planning: Coordinating healthcare visits and personal schedules.
- Pregnancy prevention: Maintaining the efficacy of the contraceptive method.

### Key Components of the 2014 Calendar

A typical Depo Provera calendar included:

- Injection dates: Marked clearly for each dose.
- Reminder dates: Alerts for upcoming injections.
- Notes section: To record side effects, health concerns, or questions for your healthcare provider.
- Follow-up appointments: For annual checkups or discussions about contraceptive options.

## How to Use the Depo Provera Calendar 2014 Effectively

Effective use of the Depo Provera calendar involves understanding the injection schedule, recognizing important deadlines, and maintaining communication with your healthcare provider.

### Initial Injection and Follow-up Schedule

- First injection: Usually administered at any point in the cycle, but ideally within the first five days of the period.
- Subsequent injections: Administered approximately every 12 to 13 weeks (about three months).

apart).

- Timing: Consistency is key to ensuring continuous contraception.

## Steps to Maintain the Calendar

- Mark each injection date immediately after administration.
- Set reminders one month before the next injection date.
- Record any side effects or concerns experienced post-injection.
- Note appointment details: Location, healthcare provider, and any questions to ask.
- Update the calendar if any delays or early injections occur.

## Handling Missed or Delayed Injections

- If more than 14 weeks pass since your last injection, you may need to consider alternative contraception methods or consult your healthcare provider.
- Use the calendar to track delays and communicate promptly with your provider for guidance.

## Benefits of Using the Depo Provera Calendar 2014

Maintaining a detailed calendar offers numerous advantages:

- Prevents missed doses: Reduces the risk of unintended pregnancy.
- Increases awareness: Helps recognize side effects early.
- Improves compliance: Ensures consistent use.
- Facilitates communication: Provides a record for discussions with healthcare providers.
- Helps plan around travel or personal commitments: Ensures injections are scheduled appropriately.

## Common Side Effects and How to Monitor Them Using the Calendar

While Depo Provera is highly effective, some women experience side effects. The calendar can be an effective tool for monitoring and managing these.

### Common Side Effects

- Irregular bleeding or spotting
- Weight gain

- Headaches
- Mood swings
- Decreased bone density (with long-term use)
- Changes in libido

## Tracking Side Effects

- Use the notes section of your calendar to record symptoms.
- Track severity, duration, and any changes over time.
- Share this information during follow-up visits with your healthcare provider.

## Managing the Depo Provera Calendar 2014 for Best Results

To maximize the benefits of Depo Provera, consider the following management tips:

### Stay Consistent with Scheduling

- Use digital reminders or alarms.
- Keep your calendar in a visible location.
- Coordinate appointments with your healthcare provider in advance.

### Plan for Healthcare Visits

- Schedule your injection appointments ahead of time.
- Keep a record of your last injection date.
- Discuss any concerns or side effects during visits.

### Addressing Concerns About Bone Density

- Long-term use may impact bone health.
- Use your calendar to track duration of use.
- Discuss calcium and vitamin D intake with your provider.
- Consider periodic bone density scans if advised.

### Transitioning Off Depo Provera

- If you decide to stop using Depo Provera, your calendar can help plan return to fertility.
- Track your menstrual cycles to monitor recovery.

## Additional Tips for Depo Provera Users in 2014

- Stay informed: Keep updated on new guidelines or recommendations.
- Maintain regular checkups: Annual exams are important for overall reproductive health.
- Have a backup plan: In case you miss an injection, discuss emergency contraception options with your provider.
- Healthy lifestyle: Balanced diet, regular exercise, and avoiding smoking enhance overall health and can mitigate some side effects.

## Conclusion

The **Depo Provera Calendar 2014** was an essential resource for women using Depo Provera as their primary contraceptive method. By diligently tracking injection dates, side effects, and healthcare appointments, users could ensure maximum effectiveness and safety. Proper management of the calendar, combined with open communication with healthcare providers, can significantly enhance the experience and reliability of Depo Provera. Whether you are a first-time user or have been on Depo Provera for years, maintaining an organized schedule is key to effective contraception and overall reproductive health.

Remember: Always consult with your healthcare provider for personalized advice and to address any concerns related to Depo Provera or your contraceptive plan.

### Depo Provera Calendar 2014: A Comprehensive Guide to Managing Your Contraceptive Schedule

For many women relying on injectable contraception, staying organized with their Depo Provera calendar 2014 is essential to maintaining effective birth control and avoiding unintended pregnancies. Whether you're new to Depo Provera or a long-term user, understanding how to track your injections, recognize important dates, and plan ahead can significantly enhance your experience. In this guide, we'll delve into everything you need to know about managing your Depo Provera schedule in 2014, including key dates, tips for staying on track, and common questions.

### What is Depo Provera and Why Is a Calendar Important?

Depo Provera, also known as the Depo shot or injectable contraceptive, is a hormonal form of birth control administered via an intramuscular injection, typically every 12 to 13 weeks. Its effectiveness depends heavily on timely injections, making a well-maintained calendar crucial for women using this method.

In 2014, managing your Depo Provera schedule involved noting injection dates, planning for follow-up appointments, and understanding the importance of consistency. A detailed calendar helps prevent missed doses, which can compromise contraceptive effectiveness, and provides a visual overview of your contraceptive timeline.

### Understanding the Basic Timeline of Depo Provera in 2014

In 2014, the typical schedule for Depo Provera injections was:

- Initial injection: Usually administered during the first five days of your menstrual cycle (days 1-5)
- Follow-up injections: Every 12 to 13 weeks thereafter

This schedule necessitates careful planning and tracking to ensure continuous protection.

### Creating Your 2014 Depo Provera Calendar

#### Step 1: Mark Your Initial Injection Date

Your starting point is your first Depo Provera shot, ideally administered within the first five days of your period. For example, if you received your first injection on January 3, 2014, this date becomes the baseline.

#### Step 2: Calculate Future Injection Dates

Since Depo Provera is given every 12 to 13 weeks, you should mark subsequent injection dates accordingly:

- 12-week interval: approximately every 84 days
- 13-week interval: approximately every 91 days

Using the initial date, plot your follow-up appointments:

- Example Schedule:
- 1st injection: January 3, 2014
- 2nd injection: April 4, 2014 (about 12 weeks later)
- 3rd injection: July 4, 2014
- 4th injection: October 3, 2014

Adjust these dates based on your actual injection timing and medical advice.

### Step 3: Incorporate Reminders and Notes

To stay organized, add reminders a week before each scheduled injection. This can be a phone alert, calendar notification, or a physical note.

### Key Components to Include in Your 2014 Depo Provera Calendar

- Injection dates: Clearly mark each scheduled shot.
- Appointment reminders: Set alerts a week and a day before each injection.
- Menstrual cycle tracking: Note periods, as initial injections are often given during menstruation.
- Health notes: Record any side effects or concerns experienced.
- Follow-up and medical appointments: Include dates for check-ups or discussions with your healthcare provider.

### Tips for Staying on Track with Your Depo Provera Schedule

- Use Digital Tools: Apps like Google Calendar, medication reminder apps, or specialized contraceptive management tools can help keep you organized.
- Keep a Physical Calendar or Planner: Some women prefer writing things down for better retention.
- Set Multiple Reminders: Have alerts set for a week before, the day before, and the day of your injection.
- Plan Ahead: Schedule your appointments well in advance, especially during busy periods or holidays.
- Communicate with Your Healthcare Provider: Inform them of your schedule, and verify the timing for your injections.
- Track Your Symptoms: Note any side effects or changes in your health for future reference and discussions with your provider.

### Common Questions About Depo Provera in 2014

**Q:** What happens if I miss my scheduled Depo Provera injection?

**A:** If you miss your injection window by more than 14 weeks, the effectiveness of the contraceptive may decrease, and you could be at risk of pregnancy. Contact your healthcare provider promptly for guidance.

Q: Can I get my injection earlier or later than scheduled?

A: It's best to stick to the schedule, but if you need to adjust due to scheduling conflicts, consult your healthcare provider to determine the safest course.

Q: How long does it take for Depo Provera to become effective?

A: If administered during days 1-5 of your cycle, it is effective immediately. If given at other times, additional contraceptive methods may be recommended for the first week.

Q: When can I expect my period after the injection?

A: Many women experience irregular bleeding or spotting initially. Some may skip periods altogether after several injections.

#### Additional Considerations for 2014 Users

- Long-Term Planning: If you're considering pregnancy in the future, note that fertility can take several months to return after stopping Depo Provera.
- Side Effect Management: Keep track of any side effects such as weight changes, mood swings, or irregular bleeding, and discuss them with your healthcare provider.
- Alternative Contraceptive Methods: If Depo Provera is unsuitable or inconvenient, explore other contraceptive options with your provider.

#### Final Thoughts

Maintaining a Depo Provera calendar 2014 is a straightforward but vital task for women who rely on this contraceptive method. By carefully tracking injection dates, planning ahead, and utilizing reminders, you can ensure continuous, effective protection without interruption. A well-organized schedule not only provides peace of mind but also helps you stay informed about your reproductive health throughout the year.

Remember, always consult your healthcare provider for personalized advice and to confirm your injection schedule. Staying proactive and organized makes managing your contraceptive journey smoother and more effective.

Empower yourself in your reproductive health management?keep your Depo Provera schedule organized, and enjoy peace of mind in 2014 and beyond.

QuestionAnswer What was the recommended Depo Provera schedule in 2014? In 2014, the



recommended schedule for Depo Provera was an injection every 12 weeks (about every 3 months) to maintain effective contraception. Are there any specific guidelines for tracking Depo Provera injections in 2014? Yes, in 2014, healthcare providers advised patients to keep a detailed calendar noting the date of each injection to ensure timely administration and optimal contraceptive protection. How did the Depo Provera calendar in 2014 help prevent pregnancy? The calendar helped users remember to receive injections every 12 weeks, preventing gaps in contraception coverage that could lead to pregnancy. Were there any common side effects related to the Depo Provera schedule in 2014? Common side effects observed in 2014 included irregular bleeding, weight gain, and mood changes, which were monitored through scheduled injections per the calendar. Did the 2014 Depo Provera calendar include recommendations for managing missed doses? Yes, in 2014, if a dose was missed by more than 2 weeks, patients were advised to contact their healthcare provider to determine whether additional contraception was needed. How did the Depo Provera calendar influence user compliance in 2014? The calendar served as a visual reminder, improving adherence to injection schedules and reducing the risk of unintended pregnancy. Was there any tracking app or digital version of the Depo Provera calendar in 2014? In 2014, most users relied on physical calendars or reminder systems, as dedicated mobile apps for tracking Depo Provera injections were not yet widely available. Are there differences between the 2014 Depo Provera calendar and current scheduling recommendations? While the core schedule of every 12 weeks remains consistent, current guidelines may incorporate digital tracking tools and additional guidance for managing side effects, reflecting advances since 2014.

**Related keywords:** Depo Provera schedule, Depo Provera injection dates, Depo Provera side effects, contraceptive injection calendar, Depo Provera shot timing, Depo Provera 2014 guidelines, birth control injection schedule, Depo Provera appointment dates, contraceptive schedule 2014, Depo Provera dosing calendar

**Read the full article online:** [DEPO PROVERA CALENDAR 2014](#)